

Material Safety Data Sheet

Date last revised AUGUST 2008

I. GENERAL INFORMATION		
Chemical Name & Synonyms TINT PASTE	Trade Name & Synonyms CCW-201 UNIVERSAL COLOR PACKS	
Chemical Family N/A	Formula MIXTURE	
Proper DOT Shipping CAULKING COMPOUND	DOT Hazard Classification NONE	
Manufacturer Carlisle Coatings & Waterproofing Incorporated	Manufacturer's Phone Number 972-442-6545	
Manufacturer's Address 900 Hensley Lane, Wylie, TX 75098	Chemtrec Phone Number 800-424-9300	
II. INGREDIENTS		
Principal Hazardous Components DI-N-OCTYL PHTHALATE (CAS # 117-84-0)	Percent < 10	Threshold Limit Value (Units) NOT ESTABLISHED
Color packs may contain the following components depending on the color being used:		
COBALT BLUE (CAS# 1345-16-0)	9 - 10	5 mg/m ³ (dust)
CADMIUM SULFIDE (CAS# 1306-23-6)	2 - 23	3.5 mg/m ³ (dust)
BROWN OXIDE (CAS# 1309-37-1)	1 - 36	5 mg/m ³ (dust)
IRON OXIDE (CAS# 1304-37-1)	18 - 40	5 mg/m ³ (dust)
TITANIUM DIOXIDE (CAS# 13463-67-7)	45 - 50	10 mg/m ³ (dust)
CARBON BLACK (CAS# 1333-86-4)	9	3.5 mg/m ³ (dust)
RAW SIENNA (CAS# 1309-37-1)	2 - 45	5 mg/m ³ (dust)
THIS PRODUCT CONTAINS DI-N-OCTYL PHTHALATE AND MAY ALSO CONTAIN CADMIUM SULFIDE WHICH ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA 313 AND 40 CFR, PART 372.		HEALTH = 1* FLAMMABILITY = 0 REACTIVITY = 0
III. PHYSICAL DATA		
Boiling Point (°F) UNKNOWN	Specific Gravity (H ₂ O = 1) 1.10 - 1.80	
Vapor Pressure (mm Hg.) UNKNOWN	Percent Volatile by Volume (%) N/A	
Vapor Density (Air = 1) N/A	Evaporation Rate (= 1) N/A	
Solubility in Water INSOLUBLE	pH N/A	
Appearance & Odor SMOOTH PASTE - MILD ODOR		
IV. FIRE & EXPLOSION HAZARD DATA		
Flash Point (Test Method) > 200° F. T.C.C.	Auto Ignition Temperature UNKNOWN	
Flammable Limits UNKNOWN	LEL N/A	UEL N/A
Extinguishing Media: WATER AND CO ₂		
Special Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING CHEMICALS.		
Unusual Fire & Explosion Hazards: NONE KNOWN		

CCW-201 UNIVERSAL COLOR PACKS			
V. HEALTH HAZARD DATA			
OSHA Permissible Exposure Limit SEE SECTION II		ACGIH Threshold Limit Value SEE SECTION II	
Carcinogen – NTP Program NO		Carcinogen – IARC Program NO	
Symptoms of Exposure: NO KNOWN ILL EFFECTS REPORTED IN THE NORMAL USE OF COMPOUND.			
Medical Conditions Aggravated By Exposure: NONE KNOWN			
Primary Route (s) of Entry: DERMAL AND INHALATION			
Emergency First Aid: EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES. SKIN: WIPE OFF EXCESS. WASH WITH SOAP AND WATER. INGESTION: OBTAIN IMMEDIATE MEDICAL ATTENTION. INHALATION: REMOVE FROM EXPOSURE AND CALL A PHYSICIAN.			
VI. REACTIVITY DATA			
Stability	<input type="checkbox"/>	Unstable	Conditions to Avoid
	<input checked="" type="checkbox"/>	Stable	NONE KNOWN
Incompatibility			Materials to Avoid STRONG OXIDIZING AND REDUCING AGENTS.
Hazardous	<input type="checkbox"/>	May Occur	Conditions to Avoid
	<input checked="" type="checkbox"/>	Will Not Occur	NONE KNOWN
Polymerization			
Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE AND POSSIBLE ORGANIC ACIDS			
VII. ENVIRONMENTAL PROTECTION PROCEDURES			
Spill Response: WIPE UP EXCESS. WASH AREA WITH MINERAL SPIRITS. PLACE SPILLED MATERIAL IN CONTAINERS FOR DISPOSAL.			
Waste Disposal Method: DISPOSE IN ACCORDANCE WITH STATE, COUNTY AND FEDERAL ENVIRONMENTAL REGULATIONS.			
VIII. SPECIAL PROTECTION INFORMATION			
Eye Protection GLASSES OR GOGGLES		Skin Protection RUBBER OR NEOPRENE GLOVES, IF REQUIRED	
Respiratory Protection (Specific Type) NONE REQUIRED		Ventilation Recommended GENERAL VENTILATION SHOULD BE ADEQUATE	
Other Protection: BARRIER CREAM FOR SKIN			
IX. SPECIAL PRECAUTIONS			
Hygienic Practices In Handling & Storage: NO SPECIAL HANDLING PRECAUTIONS			
Precautions For Repair & Maintenance of Contaminated Equipment: SEE SECTIONS V AND VI			
Other Precautions: WASH HANDS BEFORE EATING OR SMOKING.			
KEEP OUT OF REACH OF CHILDREN!!!!			

Carlisle Coatings & Waterproofing Incorporated

900 Hensley Lane, Wylie, TX 75098

Ph.: 972-442-6545, 800-527-7092

Fax: 972-442-0076

www.ccwcompanies.com

